

GUSTAVE

DESIGNED VINCENT VAN DUYSSEN

GUSTAVE RESIDENTIAL



LIGHT SOURCE

TOP LED
2,5W
221 lm
2700K/CRI 90

☐ DY Matt White

☐ DR Matt Anthracite



☐ MR Laquered Brown

☐ GX Laquered Green

☐ 05 Polished Silver



GUSTAVE

Descrizione

Gustave è una lampada portatile per illuminazione da interno, con alimentazione autonoma, progettata specificamente per applicazioni da tavolo e altri usi affini come luce ausiliaria. Nelle sue dimensioni compatte, Gustave racchiude un perfetto equilibrio tra tecnologia ottico-luminosa d'avanguardia e ingegneria disruptiva, sviluppata al servizio di un obiettivo preciso di Flos: creare la prima lampada portatile sul mercato con una consapevolezza di design circolare, ecologica e onestamente concepita contro l'obsolescenza.

Sistema ottico

Gustave è la prima lampada a integrare un sistema di lenti a emissione asimmetrica — esclusive e brevettate da Flos — disposte in rotazione per coprire 360° attorno alla posizione della lampada. Questa innovazione pionieristica consente di ottenere un'ampia superficie illuminata rispetto al punto centrale della sorgente. L'ampiezza e l'intensità della distribuzione luminosa sono progettate per ottimizzare l'illuminazione per tavoli da 2 a 4 persone. Gustave massimizza così il rapporto tra lo spazio occupato e l'area illuminata.

Le batterie di Gustave sono celle agli ioni di litio di tipo "pila", sostituibili e ricaricabili tramite cavo USB. Questo formato è standard e facilmente reperibile presso rivenditori specializzati. Questo concetto, un aggiornamento contemporaneo delle batterie delle torce tradizionali, elimina il legame tra la durata delle batterie e l'obsolescenza della lampada. A fine ciclo, le batterie si sostituiscono semplicemente e Gustave continua a funzionare come il primo giorno.

Autonomia: gestione e funzionalità

Quando la carica scende sotto il 20%, il LED indicatore (posto sotto la testa) si illumina in rosso. Sotto il 10%, oltre al LED rosso, l'intensità massima viene forzata al 25%. A 0%, la lampada si spegne automaticamente. L'autonomia è di 6 h al 100%, 10 h al 50% e 18 h al 25%. Il tempo di ricarica è di circa 5–6 h. Durante la ricarica il LED resta giallo e diventa verde a carica completa. Si consiglia la ricarica a prodotto spento.

Sistema di controllo

Gustave si accende, spegne e regola tramite un pulsante capacitivo situato alla base della testa. La regolazione è sequenziale da 0 a 100% e viceversa. Memoria dell'ultima impostazione e lampeggio per indicare massimo o minimo.

Accessori e ricambi

Gustave offre come accessorio un adattatore di rete per il cavo di ricarica USB. Le batterie agli ioni di litio sono disponibili anche come accessori e/o ricambi. Il prodotto è venduto con le batterie incluse. Se acquistate da un rivenditore diverso da Flos, verificare la conformità ai requisiti dimensionali, elettrici e altri indicati.

Informazioni aggiuntive

Grado di protezione IP54.

Adempimento della Normativa e Marchio di Qualità

Lampada conforme alla normativa tecnica europea EN60598-1 e parti correlate.

Description

Gustave is a portable indoor lamp with autonomous power supply, specifically designed for tabletop lighting applications and other related uses as auxiliary light. Within its compact dimensions, Gustave brings together a perfect balance of cutting-edge optical-lighting technology and disruptive engineering, developed in service of a specific goal by Flos: to create the first portable luminaire on the market conceived with a circular, ecological design approach and honestly designed against obsolescence.

Optical system

Gustave is the first luminaire to incorporate a system of asymmetric-emission lenses—exclusive and patented by Flos—arranged in rotation to cover 360° around the lamp's position. This pioneering innovation delivers a large illuminated surface relative to the central point of the light source. The width and intensity of the light distribution are designed to optimize illumination for typical applications on tables for 2 to 4 people. As a result, Gustave maximizes the ratio between the space it occupies and the area it illuminates.

Gustave's batteries are replaceable and rechargeable lithium-ion cells in a standard "battery" format, charged via a USB cable. This format is widely available from specialized retailers. This concept, a contemporary update of traditional flashlight batteries, breaks the link between battery lifespan and luminaire obsolescence. When the batteries reach the end of their cycle, they are simply replaced, allowing Gustave to continue operating as on the first day.

Autonomy: management and functionality

When charge drops below 20%, the indicator LED (located on the underside of the head) lights up red. Below 10%, in addition to the red indicator, maximum output is forcibly reduced to 25%. At 0%, the luminaire switches off automatically. Autonomy is 6 h at 100%, 10 h at 50%, and 18 h at 25%. Approximate recharge time is 5–6 h. During charging, the LED remains yellow and turns green when fully charged. Charging with the product switched off is recommended.

Control system

Gustave switches on, off, and dims via a capacitive button located at the base of the head. Dimming is sequential from 0–100% and back. It features last-setting memory and a blink to indicate maximum or minimum output.

Accessories and spare parts

Gustave offers a mains adapter for the USB charging cable as an accessory. Lithium-ion batteries are also available as accessories and/or spare parts. The product is sold with the batteries included. If batteries are purchased from a distributor other than Flos, ensure they meet the dimensional, electrical, and other requirements specified in the instructions.

Additional information


IP54 protection rating.

Standard Compliance and Quality Marks

Luminaire compliant with European Technical Standard EN60598-1 and related parts.

Gustave Residential

Top Array DC 60 mA - 2,5W - 221 lm - 2700K/CRI 90 / 2,5W - 235 lm - 3000K/CRI 90




Apparecchio portatile per illuminazione da interno con batteria autonoma, progettato per applicazioni residenziali. Alimentato da batterie 'Button Type 18650 Li-Ion' (2 unità, incluse all'interno del prodotto). Cavo di ricarica USB-C (adattatore di presa non incluso). Regolazione sequenziale 0-100% tramite pulsante aptico capacitivo.

Portable luminaire for indoor lighting with autonomous battery, designed for residential applications. Powered by 'Button Type 18650 Li-Ion' batteries (2 units, included inside the product). USB-C charging cable (plug adapter not included). 0-100% sequential regulation by means of capacitive haptic push button.

2700K

- 09.8405.DY
- 09.8405.DR
- 09.8405.MR
- 09.8405.GX
- 09.8405.05




Beam Angle: 145°

h(m)	E(lx)	D(m)
1	22	6.28
2	6	12.56
3	2	18.84
4	1	25.11
5	1	31.39

HOW TO ORDER GUSTAVE

Gustave Residential



Battery Pack
(Included)



Accessories & Spare parts


Cable for Gustave Residential
(Included)



White Cable Black Cable





Adapter 5V. Min 2A
(Not included)



Accessori (Residential) / Accessories (Residential)

Adattatore 5V. Min 2A.
EUR / USA / UK

Adapter 5V. Min 2A.
EUR / USA / UK




Residential
RF27576
RF25965

Ricambi (Residential) / Spare parts (Residential)

Pacchetto pile - Button Type
ICR18650 Li-Ion. 2600 mAh
by HWE

Battery pack - Button Type
ICR18650 Li-Ion. 2600 mAh
by HWE



Residential
Pack x2
08.0744.00

Cavo per Gustave Residential
USB-A/USB-C. - L= 1,2m.

Cable for Gustave Residential
USB-A/USB-C. - L= 1,2m.



Residential
08.0761.14
08.0761.30

* Intervallo dimensionale rigoroso / Strict dimensional range.